


Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) Non-porous, waterproof film having a water vapor permeability of at least 1000 g/m² day in accordance with ASTM E96-66 (Procedure B), with the proviso that the water temperature is kept at 30°C, while the ambient temperature is 21°C at 60% RH, comprising a thermoplastic polyurethane composed of a polyether glycol, a polyisocyanate, and a chain extender, at a ratio of NCO to active hydrogen atom of 0.9:1 to 1.2:1, wherein the polyurethane is a reaction product of a composition comprising

- a) 40 to 52 wt.% of a total weight of the composition of polyethylene oxide glycol having an average molecular weight of 800 to 4000 and an atomic ratio of carbon to oxygen in the range of 2.0:1 to 4.3:1, with the proviso that at least 30 wt.% of the polyurethane is composed of a polyether glycol having an atomic ratio of carbon to oxygen in the range of 2.0:1 to 2.4:1,
- b) 30 to 45 wt.% of the total weight of the composition of 4,4'-diphenyl methane diisocyanate, and
- c) 5 to 20 wt.% of the total weight of the composition of a combined amount of 1,4-butane diol and an araliphatic diol, both the 1,4-butane diol and the araliphatic diol being present in the composition, with ~~wherein~~ the araliphatic diol comprising comprises 0.5 to 10 wt.% of the total weight of the composition and having ~~has~~ the formula



wherein k = 0 or 1, where if k = 1, Y stands for a methylene or isopropylidene group, Q has the meaning of an H-atom or a CH₃-group, C₆X₄ has the

meaning of a phenylene group wherein X is hydrogen or a chlorine or bromine atom, and m and n is the same or different and stand for an integer ≥ 1 , with $m + n \leq 10$,

wherein a) is not c).

2. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein the molecular weight of the polyethylene oxide glycol is in the range of 1000 to 3000.

3. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein the weight percentage of polyethylene oxide glycol is in the range of 41 to 50.

4. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein the weight percentage of 4,4'-diphenyl methane diisocyanate is in the range of 35 to 42 wt.%.

5. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein the polyethylene oxide glycol has an average molecular weight of about 2000.

6. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein in the araliphatic diol, $k = 1$ and Y represents an isopropylidene group, while Q and X have the meaning of an H-atom and m and $n = 1$.

7. (Previously Presented) A non-porous polyurethane film according to claim 1, wherein in the araliphatic diol, $k = 1$ and Y represents an isopropylidene group, while Q has the meaning of a CH_3 -group and X has the meaning of an H-atom and m and $n = 1$.

8. (Previously Presented) A non-porous polyurethane film according to claim 6, wherein the araliphatic diol is present in an amount of 1 to 8 wt.%.

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Canceled)
14. (Canceled)
15. (Canceled)
16. (Canceled)
17. (Previously Presented) Rainwear comprising the non-porous waterproof film according to claim 1.
18. (Previously Presented) A tent comprising the non-porous waterproof film according to claim 1.
19. (Previously Presented) A seat comprising the non-porous waterproof film according to claim 1
20. (Previously Presented) A mattress cover comprising the non-porous waterproof film according to claim 1.
21. (Previously Presented) A shoe comprising the non-porous waterproof film according to claim 1.
22. (Canceled)
23. (Previously Presented) Underslating for roofing structures comprising the non-porous waterproof film according to claim 1.
24. (Previously Presented) A medical garment comprising the non-porous waterproof film according to claim 1.
25. (Previously Presented) A wound dressing comprising the non-porous waterproof film according to claim 1.